Measuring Occurrence of DNSSEC Validation

Matthäus Wander

<matthaeus.wander@uni-due.de>


DNS-OARC Workshop

Toronto, October 14, 2012




Overview

- What is the ratio of validating clients in the Web?
- Validating ⇒ rejects invalid signatures



- Outline
 - Measurement methodology
 - Result analysis
 - What's next?

Measurement Methodology



- Signed zone verteiltesysteme.net
 - Domain name sigok ✓ with valid signature
 - Domain name sigfail * with broken signature
- Two web-based resolver tests (interactive, hidden)





Interactive Test

- ⇒ http://dnssec.vs.uni-due.de
- Client-side JavaScript and images
- Load image from sigfail * domain name
 - Success: no DNSSEC validation
 - Failure: go ahead
- Load image from sigok ✓ domain name
 - Success: DNSSEC validation enabled
 - Failure: inconclusive result
- Result is shown to the user and POSTed to our webserver






Hidden Test

- Load transparent 1x1 pixel images from sigok ✓ and sigfail ×
 - Static HTML snippet (no JavaScript)

```
<img src="http://dnssec.vs.uni-due.de/r/a" alt="" height="1" width="1">
<img src="http://dnssec.vs.uni-due.de/r/b" alt="" height="1" width="1">
```



HTTP and DNS requests logged and evaluated offline



Client Identification

Correlate client with resolver IP address in different server logfiles

```
77.181.135.120 "GET /ok.png?aa53 HTTP/1.1" 200 413
62.53.190.69#22782: query: aa53.sigok.verteiltesysteme.net IN A -ED
```

- HTTP redirect to http://ID.sigok.verteiltesysteme.net/ok.png?ID
 - Where ID := hex(SHA256(client_ip))[0:4]
 - Stateless mapping of client IP address to 16 bit ID
 - Unlikely to collide at the same time with different clients
- ullet Pre-generated zone with 2^{19} resource record (88 MB)
 - Delivers broken signatures without nameserver adaptation
 - Vanilla zone layout

Accuracy

- sigfail x might fail to load for unrelated reasons → false positive
- Require loading sigok ✓ to exclude some fault sources, e.g.:
 - failing to receive EDNS0 messages with packet size >512 bytes
 - not loading images or not following cross-domain HTTP redirects
- Some fault sources remain, e.g.:
 - network fault
 - user closes browser tab prematurely
- Another possible fault: sigfail ★ loads, sigok ✓ fails
 - Harmless invalid result (false negatives are not possible)
 - Same fault pattern like a false positive (occurs with non-validators only)
 - → estimate ratio of false positives

Result Analysis

- 2.6M DNS/HTTP requests since May 2012
 - Grouped by ID into 336k Bernoulli trials
 - ∘ ∆time between requests <30s
- 220k complete trials:
 - DNS request for sigok ✓ and sigfail ※
 - Both HTTP redirects and HTTP 1x1 sigok ✓ image
- Validating:
 - o no sigfail ★ HTTP query OR
 - all DNS queries without DNSSEC OK flag
- 116k incomplete trials:
 - Mostly same client visiting several pages + browser caching
 - 326 trials missing sigok ✓ → estimated 0.15% false positives



HTTP 302

/r/a

/r/b

Browser

Resolver

HTTP 200

SigOk

SigFail

SigOk


SigFail

DNSKEY

Nameserver

DNSKEY Missing

- Seemingly positive result but DNSKEY query is missing
- Indicates false positive
 - Occurred in 369 trials (0.17%)
 - Comparable to estimated ratio of false positive
- Limitation: we correlate DNSKEY via IP address, not ID
 - Might be a true positive in forwarding scenario



Data Cleaning

- Positive result but DNSKEY missing (0.17%)
- Duplicate results per IP address within 24h (59%)
- ID hash collision (<0.01%)
 - Different client IP addresses with same ID
- Inconsistent user agent (1.2%)
 - Mostly harmless e.g. same user accessing website with two browsers
 - But also: 2 clients behind NAT with different resolvers
- ⇒ one or more filter conditions applied to 130k (59%) trials

Not filtered: inconsistent IP addresses (1.5%)

- HTTP images queried from different IP addresses than redirects
- Occurred with enterprise and carrier-grade NAT
- ⇒ 89k results from 70k distinct IP addresses



DNSSEC Validation Ratio




Chart 1: Validation ratio per calendar week, overall 4.7%




Chart 2: Absolute numbers per country

DNSSEC per Country

Results from 179 countries, 31 with >500 trials

No.	Country	Trials	Validation	σ	No.	Country	Trials	Validation	σ
1.	Sweden	738	55.6%	±1.8%	17.	Belgium	606	1.0%	±0.4%
2.	Czech Republic	626	35.8%	±1.9%	18.	Austria	2100	0.9%	±0.2%
3.	United States	10739	13.7%	±0.3%	19.	Australia	711	0.8%	±0.3%
4.	Netherlands	1332	4.7%	±0.6%	20.	Russia	2606	0.7%	±0.2%
5.	Brazil	911	4.3%	±0.7%	21.	Mexico	627	0.5%	±0.3%
6.	France	2159	4.3%	±0.4%	22.	China	627	0.5%	±0.3%
7.	Switzerland	1894	4.2%	±0.5%	23.	Canada	1066	0.5%	±0.2%
8.	Poland	1372	3.9%	±0.5%	24.	Spain	1932	0.5%	±0.2%
9.	Germany	29975	3.7%	±0.1%	25.	Malaysia	529	0.4%	±0.3%
10.	Italy	1095	3.5%	±0.6%	26.	Romania	1039	0.3%	±0.2%
11.	Indonesia	1015	2.4%	±0.5%	27.	India	2325	0.1%	±0.1%
12.	Ukraine	1708	1.9%	±0.3%	28.	Vietnam	2517	0%	±0%
13.	Greece	1014	1.7%	±0.4%	29.	Egypt	727	0%	±0%
14.	United Kingdom	2373	1.6%	±0.3%	30.	Turkey	651	0%	±0%
15.	Serbia	615	1.5%	±0.5%	31.	Israel	591	0%	±0%
16.	Philippines	752	1.2%	±0.4%					



Further Results

- 36k trials (40.7%) comprise ≥2 resolvers
- 3k trials (3.5%) comprise ≥2 resolvers from different ASes

AS	Organization	Count		
3320	Deutsche Telekom	10,675		
15169	Google	8,045		
3209	Vodafone D2	3,675		
13184	Telefonica Germ.	1,983		
36692	OpenDNS	1,739		
4.2k otl	66,297			

- 1.3k (1.5%) were negative but contained DNSKEY query
 - Trials with one and with multiple resolvers
 - DNSKEY query is a weak validation indicator
- Some clients use mixed validating and non-validating resolvers
 - Get SERVFAIL from validator, fall back to non-validator
 - Our test yields negative result in case of mixed validation
 - Except when application aborts waiting for name resolution
- ⇒ Effect of mixed validation needs to be investigated further



What's next?

- Raw data (anonymized) will be available in a few days
 - http://dnssec.vs.uni-due.de
- Paper with details currently under peer-review
- Want to contribute? Add HTML snippet to your website
 - Privacy note: discloses to us client address, referer, user-agent
- Pending enhancements
 - Minimize traffic of duplicate tests
 - Generate online statistics
- Related project: VeriSign prefetch test
 - Less privacy invasive
 - http://validator-search.verisignlabs.com/